

A/O SCREW-LOCK SANDING DISCS (QUICK CHANGE)

Principle use

- Automotive aftermarket
- Work on moulds and models, ideal for small and hard-to-polish surfaces
- Finishing on stainless steel, metals, and non-metals



Die Grinders



Angle Grinders

Screw-lock
Backup Pad

Coated cloth screw-lock sanding discs (quick change)

EAN No.	LABEL	DIMENSIONS millimetres D x Shank	DIMENSIONS inches D	GRAIN TYPE	GRAIN SIZE	Max. R.P.M.	Package Qty.
757428	CGW	51x6	2	A/O	24	25,000	100
757435	CGW	51x6	2	A/O	36	25,000	100
757442	CGW	51x6	2	A/O	40	25,000	100
763986	CGW	51x6	2	A/O	50	25,000	100
757459	CGW	51x6	2	A/O	60	25,000	100
763993	CGW	51x6	2	A/O	80	25,000	100
764006	CGW	51x6	2	A/O	120	25,000	100
764013	CGW	76x6	3	A/O	40	20,000	50
764020	CGW	76x6	3	A/O	50	20,000	50
764037	CGW	76x6	3	A/O	60	20,000	50
764044	CGW	76x6	3	A/O	80	20,000	50
764051	CGW	76x6	3	A/O	120	20,000	50

CSD SCREW-LOCK SANDING DISCS (QUICK CHANGE)

Principle use

- Cleaning welds and removing scale
- Removing rust and paint from metal bars



298 297	CGW	51x6	2	A/O	CSD	18,000	50
298 310	CGW	76x6	3	A/O	CSD	15,000	50

SCM SCREW-LOCK SANDING DISCS (QUICK CHANGE)

Principle use


- Finishing on structural work and stainless steel, metal, and plastic
- Ideal for maintenance work



Die Grinders



Angle Grinders



Screw-lock Backup Pad

Non-woven screw-lock sanding discs (quick change)

EAN No.	LABEL	DIMENSIONS millimetres D x Shank	DIMENSIONS inches D	GRAIN TYPE	GRAIN SIZE	COLOR	Max. R.P.M.	Package Qty.
810710	CGW	25x6	1	A/O	COARSE	BROWN	25,000	100
810727	CGW	25x6	1	A/O	MEDIUM	RED	25,000	100
810734	CGW	25x6	1	A/O	VERY FINE	BLUE	25,000	100
757541	CGW	51x6	2	A/O	COARSE	BROWN	23,000	100
757558	CGW	51x6	2	A/O	MEDIUM	RED	23,000	100
757565	CGW	51x6	2	A/O	VERY FINE	BLUE	23,000	100
764068	CGW	76x6	3	A/O	COARSE	BROWN	18,000	50
764075	CGW	76x6	3	A/O	MEDIUM	RED	18,000	50
764082	CGW	76x6	3	A/O	VERY FINE	BLUE	18,000	50



Backup pad for screw-lock sanding discs (quick change)

EAN No.	LABEL	DIMENSIONS millimetres D x Shank	DIMENSIONS inches D	Max. R.P.M.	Package Qty.
810741	CGW	25x6	1	28,000	1
238903	CGW	51x6	2	25,000	1
238910	CGW	76x6	3	20,000	1



FLEXIBLE CLOTH A/O-COATED ROLLS



Principle use

- Manual polishing of shaped objects
- Bare wood sanding
- Machine polishing of wood, metal and plastic
- Rust and scale removal

J = flexible



Vibration Sanders



Manual Sanding

Top J flexible cloth A/O-coated rolls

EAN No.	LABEL	PRODUCT NAME	DIMENSIONS millimetres W(mm) x L(M)	DIMENSIONS inches	TYPE of CLOTH	GRAIN SIZE	Package Qty.
232475	CGW	TOPJ	150x50M	6"	JF	60	1
232505	CGW	TOPJ	150x50M	6"	JF	80	1
232536	CGW	TOPJ	150x50M	6"	JF	100	1
232567	CGW	TOPJ	150x50M	6"	JF	120	1
232598	CGW	TOPJ	150x50M	6"	JF	150	1
638116	CGW	TOPJ	150x50M	6"	JF	180	1
232635	CGW	TOPJ	150x50M	6"	JF	220	1
638123	CGW	TOPJ	150x50M	6"	JF	240	1
638130	CGW	TOPJ	150x50M	6"	JF	280	1
232697	CGW	TOPJ	150x50M	6"	JF	320	1
232734	CGW	TOPJ	150x50M	6"	JF	400	1



FLEXIBLE CLOTH A/O-COATED ROLLS

Top J rolls are pre-packaged in convenient, economical dispensers



Manual Sanding



802722	CGW	TOPJ	50x25M	2"	JF	60	1
802739	CGW	TOPJ	50x25M	2"	JF	80	1
802746	CGW	TOPJ	50x25M	2"	JF	100	1
802753	CGW	TOPJ	50x25M	2"	JF	120	1
802760	CGW	TOPJ	50x25M	2"	JF	150	1
802777	CGW	TOPJ	50x25M	2"	JF	180	1
802784	CGW	TOPJ	50x25M	2"	JF	220	1
802791	CGW	TOPJ	50x25M	2"	JF	240	1
802807	CGW	TOPJ	50x25M	2"	JF	280	1
802814	CGW	TOPJ	50x25M	2"	JF	320	1
802821	CGW	TOPJ	50x25M	2"	JF	400	1



FLEXIBLE CLOTH A/O-COATED SHEETS



Manual Sanding

Principle use

- Sanding of wood, metal, paint, and plastic
- General purpose use
- Sanding of profiles and rounded metal parts

EAN No.	LABEL	PRODUCT NAME	DIMENSIONS millimetres Wx L	TYPE of CLOTH	GRAIN SIZE	Package Qty.
227150	CGW	TOPJ	230x280	JF	60	50
227204	CGW	TOPJ	230x280	JF	80	50
227259	CGW	TOPJ	230x280	JF	100	50
227303	CGW	TOPJ	230x280	JF	120	50
227358	CGW	TOPJ	230x280	JF	150	50
227402	CGW	TOPJ	230x280	JF	180	50
227440	CGW	TOPJ	230x280	JF	220	50
227495	CGW	TOPJ	230x280	JF	240	50
227549	CGW	TOPJ	230x280	JF	280	50
227587	CGW	TOPJ	230x280	JF	320	50
227624	CGW	TOPJ	230x280	JF	400	50

PORTABLE BELTS

Description and principle use

- Made of x-weight polycotton cloth
- For surface grinding of metal and wood
- Excellent for floor sanding
- Other dimensions and grits are available upon request



Flat Sanders



EAN No.	LABEL	DIMENSIONS millimetres Wx L	GRAIN TYPE	GRAIN SIZE	MACHINE TYPE	Package Qty.
224 791	CGW	100x560	A/O	40	RYOBI ; B&D ; AEG	10
224 814	CGW	100x560	A/O	60	RYOBI ; B&D ; AEG	10
224 821	CGW	100x560	A/O	80	RYOBI ; B&D ; AEG	10
224 845	CGW	100x560	A/O	120	RYOBI ; B&D ; AEG	10
224 951	CGW	100x610	A/O	40	RYOBI ; MAKITA ; HITACHI	10
224 975	CGW	100x610	A/O	60	RYOBI ; MAKITA ; HITACHI	10
224 982	CGW	100x610	A/O	80	RYOBI ; MAKITA ; HITACHI	10
225 002	CGW	100x610	A/O	120	RYOBI ; MAKITA ; HITACHI	10

FLEXIBLE CLOTH SHEETS



NON-WOVEN NYLON WEB SHEETS WITH ABRASIVE GRAIN

Principle uses

- Light cleaning and polishing of wood, metal, paint, and plastic
- Polishing stainless steel
- Rust removal
- Use wet or dry



Vibration Sanders



Manual Sanding



Non-woven nylon web hand pads

EAN No.	LABEL	PRODUCT NAME	DIMENSIONS millimeters W x L	DIMENSIONS inches W x L	GRAIN TYPE	GRAIN SIZE	Package Qty.
238491	CGW	NON-WOVEN	115x150	4-1/2x6	A/O	MEDIUM	10
238477	CGW	NON-WOVEN	115x150	4-1/2x6	A/O	FINE	10
238521	CGW	NON-WOVEN	115x150	4-1/2x6	A/O	VERY FINE	10
238507	CGW	NON-WOVEN	115x150	4-1/2x6	S/C	ULTRA FINE	10
238538	CGW	NON-WOVEN	115x150	4-1/2x6	A/O	WHITE	10
301133	CGW	NON-WOVEN	150x230	6x9	A/O	COARSE	10
238552	CGW	NON-WOVEN	150x230	6x9	A/O	MEDIUM	10
238545	CGW	NON-WOVEN	150x230	6x9	A/O	FINE	10
238576	CGW	NON-WOVEN	150x230	6x9	A/O	VERY FINE	10
238569	CGW	NON-WOVEN	150x230	6x9	S/C	ULTRA FINE	10
413706	CGW	NON-WOVEN	150x230	6x9	A/O	GREEN	10
238583	CGW	NON-WOVEN	150x230	6x9	A/O	WHITE	10



Non-woven nylon web rolls

EAN No.	LABEL	PRODUCT NAME	DIMENSIONS millimeters W(mm) x L(M)	GRAIN TYPE	GRAIN SIZE	Package Qty.
398829	CGW	NON-WOVEN	100 x 10M	A/O	COARSE	1
328710	CGW	NON-WOVEN	100 x 10M	A/O	MEDIUM	1
312795	CGW	NON-WOVEN	100 x 10M	A/O	FINE	1
274260	CGW	NON-WOVEN	100 x 10M	A/O	VERY FINE	1
338795	CGW	NON-WOVEN	100 x 10M	S/C	ULTRA FINE	1
624782	CGW	NON-WOVEN	100 x 10M	A/O	GREEN	1

A/O ABRASIVE SLEEVES

Principle uses

- Internal sanding of bores and narrow, hard-to-reach surfaces
- Polishing metals
- For dry work, without coolant

D = outer diameter

T = height



EAN No.	LABEL	DIMENSIONS millimeters D x T	GRAIN TYPE	GRAIN SIZE	COLOR	Max. R.P.M.	Package Qty.
237548	CGW	10x10	A/O	80	BROWN/RED	38,000	100
237555	CGW	10x10	A/O	120	BROWN/RED	38,000	100
237586	CGW	15x30	A/O	36	BROWN/RED	26,000	100
237593	CGW	15x30	A/O	50	BROWN/RED	26,000	100
237609	CGW	15x30	A/O	80	BROWN/RED	26,000	100
237616	CGW	22x20	A/O	36	BROWN/RED	17,000	100
237623	CGW	22x20	A/O	50	BROWN/RED	17,000	100
237630	CGW	22x20	A/O	80	BROWN/RED	17,000	100
237647	CGW	22x20	A/O	120	BROWN/RED	17,000	100
237654	CGW	22x20	A/O	150	BROWN/RED	17,000	100
237661	CGW	30x30	A/O	36	BROWN/RED	13,000	100
237678	CGW	30x30	A/O	50	BROWN/RED	13,000	100
237685	CGW	30x30	A/O	80	BROWN/RED	13,000	100
237692	CGW	30x30	A/O	150	BROWN/RED	13,000	100
237708	CGW	45x30	A/O	50	BROWN/RED	8,500	100
237715	CGW	45x30	A/O	80	BROWN/RED	8,500	100
237722	CGW	45x30	A/O	150	BROWN/RED	8,500	100
278794	CGW	75x30	A/O	60	BROWN/RED	5,000	100
278800	CGW	75x30	A/O	80	BROWN/RED	5,000	100
278817	CGW	75x30	A/O	150	BROWN/RED	5,000	100

EAN No.	LABEL	DIMENSIONS D x T x Shank	Max. R.P.M.	Package Qty.
239 177	CGW	10x10x6	38,000	1
239 191	CGW	15x30x6	26,000	1
239 207	CGW	22x20x6	17,000	1
239 214	CGW	30x30x6	13,000	1
239 221	CGW	45x30x6	8,500	1
239 238	CGW	75x30x6	5,000	1

SLOTTED RUBBER DRUM ON SHANK



ABRASIVE SLEEVES

CGW

KIPOD® INDUSTRIAL WIRE BRUSHES



Angle Grinders

Principle use

- ▲ Removal of weld slag, rust and paint from metal surfaces
- Removal of concrete remnants from casting molds
- Cleaning and reconditioning of concrete and decorative stone surfaces

KIPOD® Standard Twist Wheel Brush, Threaded



Dimensions: 4-1/2" x M14

EAN No.: 435135

Label: CGW

Max. R.P.M.: 12,500

Steel wire, Ø 0.50 mm

For use on 4-1/2" and 5" angle grinders

KIPOD® Crimped Wire Cup Brush, Threaded



Dimensions: 3" x M14

EAN No.: 435111

Label: CGW

Max. R.P.M.: 12,500

Steel wire, Ø 0.30 mm

For use on 4-1/2" and 5" angle grinders

KIPOD® Stringer Bead Twist Knot Wheel Brush



Dimensions: 5" x 7/8"

EAN No.: 467440

Label: CGW

Max. R.P.M.: 12,500

Steel wire, Ø 0.50 mm

For use on 5" angle grinders

KIPOD® Crimped Wire Cup Brush, Threaded



Dimensions: 5" x M14

EAN No.: 435104

Label: CGW

Max. R.P.M.: 6,500

Steel wire, Ø 0.35 mm

For use on 9" angle grinders

KIPOD® Twisted Knot Wheel Brush



Dimensions: 6" x 7/8"

EAN No.: 435142

Label: CGW

Max. R.P.M.: 9,500

Steel wire, Ø 0.50 mm

For use on 6", 7" and 9" angle grinders

KIPOD® Twisted Knot Cup Brush, Threaded



Dimensions: 3" x M14

EAN No.: 435128

Label: CGW

Max. R.P.M.: 12,500

Steel wire, Ø 0.50 mm

For use on 4-1/2" and 5" angle grinders

KIPOD® Twisted Knot Wheel Brush



Dimensions: 7" x 7/8"

EAN No.: 435159

Label: CGW

Max. R.P.M.: 8,500

Steel wire, Ø 0.50

For use on 7" and 9" angle grinders